Position sensors SMH-S1, for grippers

Product overview





- Position sensors, adapted to Festo grippers
- Freely selectable switching points
- 3 gripper positions can be detected using an evaluation unit

Detailed product information

→ www.festo.com/catalog/smh

Product overview							
Design	Type of mounting	Measuring principle	Operating voltage range	Analogue output	Switch output	Switching element function	→ Page/ Internet
Position sensor	SMH-S1						
For gripper	Screwed to gripper	Magnetic Hall	24 V DC	-	-	-	2
	•						•
Evaluation unit S	SMH-AE1						
For position	With mounting hole	-	24 V DC	-	3x PNP	N/O contact	3
sensor SMH-S1					3x NPN		
Signal converter SVE4							
For position	With mounting hole	-	10 30 V DC	-	2x PNP	Switchable	sve4
sensor SMH-S1					2x NPN		


Key features

The position sensor SMH-S1 has been specially developed for use with Festo grippers. An analogue electrical signal is generated in the proximity sensor depending on the gripper position. The conversion to 3 digital output signals (corresponding to 3 gripper jaw positions) takes place via the signal converters SVE4 or the evaluation units SMH-AE.

Note

Sensors that detect magnetic fields, such as position sensors SMH, must not be secured onto the drive using mountings made from ferritic materials, as this can lead to malfunction.


In order to ensure the correct functioning of the position sensor the outlet cables and the compressed air tubing must be mounted in the same direction.



Position sensors SMH, for grippers



Type codes, technical data – Position sensors



Technical data				
Design				
		Adapted for grippers		
Type of mounting		Screwed to gripper		
Electrical data				
Electrical connection		Cable with plug M8x1, 4-pin		
Cable length	[m]	0.5		
Protection against short circuit	ri	No		
Protection against polarity reversal		No		
Protection class		IP65		
Operating and environmental conditions				
Ambient temperature [°C]		5 60		
CE mark (see declaration of conformity)		In accordance with EU EMC directive		
Materials				
Housing		Polyamide		
Cable sheath		Polyurethane		

Ordering data						
	Associated grippers	Part No.	Туре			
	DHDS-16-A	175 713	SMH-S1-HGD16			
	DHPS-06-A	175 710	SMH-S1-HGP06			
	DHRS-10-A	175 712	SMH-S1-HGR10			
	DHWS-10-A	175 711	SMH-S1-HGW10			
and the second second	HGPP-10, HGPP-12	189 040	SMH-S1-HGPP10/12			
1((HGPP-16	189 041	SMH-S1-HGPP16			
	HGPP-20, HGPP-25	189 042	SMH-S1-HGPP20/25			
	HGPP-32	526 895	SMH-S1-HGPP32			


Note

For position sensors SMH-S1-HG...: Adapted signal converters SVE4-HS

→ Internet: sve4-hs

Position sensors SMH, for grippers Type codes, technical data – Evaluation unit





Technical data				
Design				
		Via through-hole		
Switching status display		Yellow LED		
Ready status display		Green LED		
Electrical data				
Switch output		PNP		
		NPN		
Electrical connection	Input	4-pin		
	Output	Plug M12x1, 5-pin		
Operating voltage range [V DC]		24		
Protection class		IP53		
Operating and environmental condit	ions			
Ambient temperature [°C]		5 60		
CE mark (see declaration of conformi	ty)	In accordance with EU EMC directive		
Certification		C-Tick		
Materials				
Housing	·	Wrought aluminium alloy		


Ordering data					
	Switch output	Part No.	Туре		
	PNP	175 708	SMH-AE1-PS3-M12		
	NPN	175 709	SMH-AE1-NS3-M12		

Note

For position sensors SMH-S1-HG...: Adapted signal converters SVE4-HS → Internet: sve4-hs

Position sensors SMH, for grippers Peripherals overview





Acce	→ Page/ Internet				
Posi	Position sensors				
1	SMH-S1-HGD16	2			
2	SMH-S1-HGPP				
3	SMH-S1-HGP06				
4	SMH-S1-HGR10				
5	SMH-S1-HGW10				
		·			
Asso	ciated grippers				
6	Three-point gripper DHDS-16-A	gripper			
7	Parallel gripper HGPP				
8	Parallel gripper DHPS-06-A				
9	Radial gripper DHRS-10-A				
10	Angle gripper DHWS-10-A				
Accessories					
11	Connecting cable NEBU-M8G4-K-2.5-M8G4	4			
12	Evaluation unit SMH-AE1	3			
13	Connecting cable NEBU-M12G5-KLE5	4			
14	Signal converter SVE4	sve4			

Ordering data – Connecting cables							
Technical data → Internet: r							
	Number	Cable	Part No.	Туре			
	of wires	length [m]					
Straight plug s	ocket						
	4	2.5	554 035	NEBU-M8G4-K-2.5-M8G4			
50 P	5	2.5	541 330	NEBU-M12G5-K-2.5-LE5			
		5	541 331	NEBU-M12G5-K-5-LE5			

Product Range and Company Overview

A Complete Suite of Automation Services

Our experienced engineers provide complete support at every stage of your development process, including: conceptualization, analysis, engineering, design, assembly, documentation, validation, and production.



Custom Automation Components Complete custom engineered solutions



Custom Control Cabinets Comprehensive engineering support and on-site services



Complete Systems Shipment, stocking and storage services

The Broadest Range of Automation Components

With a comprehensive line of more than 30,000 automation components, Festo is capable of solving the most complex automation requirements.



Electromechanical Electromechanical actuators, motors, controllers & drives



Pneumatics Pneumatic linear and rotary actuators, valves, and air supply



PLCs and I/O Devices PLC's, operator interfaces, sensors and I/O devices

Supporting Advanced Automation... As No One Else Can!

Festo is a leading global manufacturer of pneumatic and electromechanical systems, components and controls for industrial automation, with more than 12,000 employees in 56 national headquarters serving more than 180 countries. For more than 80 years, Festo has continuously elevated the state of manufacturing with innovations and optimized motion control solutions that deliver higher performing, more profitable automated manufacturing and processing equipment. Our dedication to the advancement of automation extends beyond technology to the education and development of current and future automation and robotics designers with simulation tools, teaching programs, and on-site services.

Quality Assurance, ISO 9001 and ISO 14001 Certifications

Festo Corporation is committed to supply all Festo products and services that will meet or exceed our customers' requirements in product quality, delivery, customer service and satisfaction.

To meet this commitment, we strive to ensure a consistent, integrated, and systematic approach to management that will meet or exceed the requirements of the ISO 9001 standard for Quality Management and the ISO 14001 standard for Environmental Management.



© Copyright 2008, Festo Corporation. While every effort is made to ensure that all dimensions and specifications are correct, Festo cannot guarantee that publications are completely free of any error, in particular typing or printing errors. Accordingly, Festo cannot be held responsible for the same. For Liability and Warranty conditions, refer to our "Terms and Conditions of Sale", available from your local Festo office. All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of Festo. All technical data subject to change according to technical update.



Festo North America

Festo Regional Contact Center

5300 Explorer Drive Mississauga, Ontario L4W 5G4 Canada

USA Customers:

For ordering assistance,

Call: 1.800.99.FESTO (1.800.993.3786) 1.800.96.FESTO (1.800.963.3786) Email: customer.service@us.festo.com

For technical support,

Call: 1.866.GO.FESTO (1.866.463.3786) Fax: 1.800.96.FESTO (1.800.963.3786) Email: product.support@us.festo.com

Canadian Customers:

Call: 1.877.GO.FESTO (1.877.463.3786) Fax: 1.877.FX.FESTO (1.877.393.3786) Email: festo.canada@ca.festo.com

USA Headquarters

Festo Corporation 395 Moreland Road P.O. Box 18023 Hauppauge, NY 11788, USA www.festo.com/us

USA Sales Offices

Appleton

North 922 Tower View Drive, Suite N Greenville, WI 54942, USA

Boston

120 Presidential Way, Suite 330 Woburn, MA 01801, USA

Chicago

1441 East Business Center Drive Mt. Prospect, IL 60056, USA

Dallas

1825 Lakeway Drive, Suite 600 Lewisville, TX 75057, USA

Detroit – Automotive Engineering Center 2601 Cambridge Court, Suite 320 Auburn Hills, MI 48326, USA

New York

395 Moreland Road Hauppauge, NY 11788, USA

Silicon Valley

4935 Southfront Road, Suite F Livermore, CA 94550, USA

United States



USA Headquarters, East: Festo Corp., 395 Moreland Road, Hauppauge, NY 11788 Phone: 1.631.435.0800; Fax: 1.631.435.8026;

Email: info@festo-usa.com www.festo.com/us

Canada



Headquarters: Festo Inc., 5300 Explorer Drive, Mississauga, Ontario L4W 5G4 Phone: 1.905.624.9000; Fax: 1.905.624.9001; Email: festo.canada@ca.festo.com

Mexico



Headquarters: Festo Pneumatic, S.A., Av. Ceylán 3, Col. Tequesquinahuac, 54020 Tlalnepantla, Edo, de México Phone: 011 52 [55] 53 21 66 00; Fax: 011 52 [55] 53 21 66 65; Email: festo.mexico@mx.festo.com www.festo.com/mx

Central USA

Festo Corporation 1441 East Business Center Drive Mt. Prospect, IL 60056, USA Phone: 1.847.759.2600 Fax: 1 847 768 9480



Western USA

Festo Corporation 4935 Southfront Road, Livermore, CA 94550. USA

Phone: 1.925.371.1099 Fax: 1.925.245.1286



Festo Worldwide

Argentina Australia Austria Belarus Belgium Brazil Bulgaria Canada Chile China Colombia Croatia Czech Republic Denmark Estonia Finland France Germany Great Britain Greece Hong Kong Hungary India Indonesia Iran Ireland Israel Italy Japan Latvia Lithuania Malaysia Mexico Netherlands New Zealand Norway Peru Philippines Poland Romania Russia Serbia Singapore Slovakia Slovenia South Africa South Korea Spain Sweden Switzerland Taiwan Thailand Turkey Ukraine United States Venezuela